


FortiGate®-VM on Oracle Cloud Infrastructure

ORACLE
Cloud Infrastructure



Highlights

- Securely connect to your application workloads without performance bottlenecks
- Move at cloud speed without compromising security
- Seamlessly scale your cloud protection without increasing operational burden
- Secure your cloud transformation without impacting business outcomes, with flexible consumption models

Adaptive Multi-Cloud Security with AI-Powered Advanced Threat Protection

The FortiGate-VM on Oracle Cloud Infrastructure (OCI) delivers next-generation firewall capabilities for organizations of all sizes, with the flexibility to be deployed as next-generation firewall or VPN gateway. It protects against cyber threats with high performance, security efficacy, and deep visibility.

FortiGate-VM delivers protection from a broad array of network security threats. It offers the same security and networking services included in the FortiOS operating system and is available for public cloud, private cloud, and Telco Cloud (VNFs). With a consistent operational model across hybrid cloud, multi-cloud, and service provider environments, it reduces the training burden on security teams.



Available in



Appliance



Virtual



Hosted



Cloud



Container

FortiOS Everywhere

FortiOS, Fortinet's Advanced Operating System


FortiOS enables the convergence of high performing networking and security across the Fortinet Security Fabric. Because it can be deployed anywhere, it delivers consistent and context-aware security posture across network, endpoint, and multi-cloud environments.

FortiOS powers all FortiGate deployments whether a physical or virtual device, as a container, or as a cloud service. This universal deployment model enables the consolidation of many technologies and use cases into a simplified, single policy and management framework. Its organically built best-of-breed capabilities, unified operating system, and ultra-scalability allows organizations to protect all edges, simplify operations, and run their business without compromising performance or protection.


FortiOS dramatically expands the Fortinet Security Fabric's ability to deliver advanced AI/ML-powered services, inline advanced sandbox detection, integrated ZTNA enforcement, and more, provides protection across hybrid deployment models for hardware, software, and Software-as-a-Service with SASE.

FortiOS expands visibility and control, ensures the consistent deployment and enforcement of security policies, and enables centralized management across large-scale networks with the following key attributes:

- Interactive drill-down and topology viewers that display real-time status
- On-click remediation that provides accurate and quick protection against threats and abuses
- Unique threat score system correlates weighted threats with users to prioritize investigations



Intuitive easy to use view into the network and endpoint vulnerabilities



Visibility with FOS Application Signatures

FortiConverter Migration Service

FortiConverter Service provides hassle-free migration to help organizations transition from a wide range of legacy firewalls to FortiGate Next-Generation Firewalls quickly and easily. The service eliminates errors and redundancy by employing best practices with advanced methodologies and automated processes. Organizations can accelerate their network protection with the latest FortiOS technology.





FortiGuard Services

Network and File Security

Services provide protection against network-based and file-based threats. This consists of Intrusion Prevention (IPS) which uses AI/M models to perform deep packet/SSL inspection to detect and stop malicious content, and apply virtual patching when a new vulnerability is discovered. It also includes Anti-Malware for defense against known and unknown file-based threats. Anti-malware services span both antivirus and file sandboxing to provide multi-layered protection and are enhanced in real-time with threat intelligence from FortiGuard Labs. Application Control enhances security compliance and offers real-time application visibility.

Web / DNS Security

Services provide protection against web-based threats including DNS-based threats, malicious URLs (including even in emails), and botnet/command and control communications. DNS filtering provides full visibility into DNS traffic while blocking high-risk domains, and protects against DNS tunneling, DNS infiltration, C2 server ID and Domain Generation Algorithms (DGA). URL filtering leverages a database of 300M+ URLs to identify and block links to malicious sites and payloads. IP Reputation and anti-botnet services prevent botnet communications, and block DDoS attacks from known sources.

SaaS and Data Security

Services address numerous security use cases across application usage as well as overall data security. This consists of Data Leak Prevention (DLP) which ensures data visibility, management and protection (including blocking exfiltration) across networks, clouds, and users, while simplifying compliance and privacy implementations. Separately, our Inline Cloud Access Security Broker (CASB) service protects data in motion, at rest, and in the cloud. The service enforces major compliance standards and manages account, user and cloud application usage. Services also include capabilities designed to continually assess your infrastructure, validate that configurations are working effectively and secure, and generate awareness of risks and vulnerabilities that could impact business operations. This includes coverage across IoT devices for both IoT detection and IoT vulnerability correlation.

Zero-Day Threat Prevention

Zero-day threat prevention entails Fortinet's AI-based inline malware prevention, our most advanced sandbox service, to analyze and block unknown files in real-time, offering sub-second protection against zero-day and sophisticated threats across all NGFWs. The service also has a built-in MITRE ATT&CK® matrix to accelerate investigations. The service focuses on comprehensive defense by blocking unknown threats while streamlining incident response efforts and reducing security overhead.

OT Security

The service provides OT detection, OT vulnerability correlation, virtual patching, OT signatures, and industry-specific protocol decoders for overall robust defense of OT environments and devices.



Secure Any Edge at Any Scale




Advanced Virtual Security Processing Units (vSPUs)

Virtual firewalls are commonly used to protect virtualized environments in software-defined data centers and multi-cloud environments on the basis that they are the least expensive and the most portable, enabling users to easily move a virtual firewall from cloud to cloud. One disadvantage of most virtual firewalls is that they deliver significantly lower network throughput as compared with physical firewalls, creating bottlenecks throughout the network and reducing business agility and performance.

FortiGate virtual firewalls (FortiGate-VM), featuring advanced virtual security processing units (vSPUs), overcome the throughput barrier to provide top performance in private and public clouds. With FortiGate-VM, organizations can securely migrate any application and support a variety of use cases, including highly available large-scale virtual private networks (VPNs) in the cloud.”

FortiGate-VM removes the cost-performance barriers to adopting virtual NGFWs, with several industry-leading features:

- The FortiGate-VM vSPU is a unique technology that enhances performance by offloading part of packet processing to user space, while using a kernel bypass solution within the operating system. With vSPU enabled, FortiGate-VM can achieve more than triple the throughput for a UDP firewall rule.
- Support for Intel QuickAssist Technology (Intel QAT), working on the latest QuickAssist Adapters, accelerates traffic processing through site-to-site IPsec VPNs. With QAT enabled, FortiGate-VM can achieve two to three times throughput improvements depending on the packet frame size.
- Fortinet is the first NGFW vendor to support AWS C5n instances, which enables organizations to use a virtual firewall to secure compute-heavy applications in the cloud.



Intuitive view and clear insights into network security posture with FortiManager

Centralized Network and Security Management at Scale

FortiManager, the centralized management solution from Fortinet, enables integrated management of the Fortinet security fabric, including devices like FortiGate, FortiSwitch, and FortiAP. It simplifies and automates the oversight of network and security functions across diverse environments, serving as the fundamental component for deploying Hybrid Mesh Firewalls.

Deployment



Next Generation Firewall (NGFW)


- Reduce complexity by combining threat protection security capabilities into single high-performance network security appliances
- Identify and stop threats with powerful intrusion prevention beyond port and protocol that examines the actual applications in your network traffic
- Deliver the industry’s highest SSL inspection performance using industry-mandated ciphers while maximizing ROI
- Proactively block newly discovered sophisticated attacks in real-time with advanced threat protection



VPN Gateway

- Direct Connect utilizing FortiGate firewalls for SSL and IPsec VPNs into and out of the AWS VPCs
- VGW to FortiGate VPN between VPCs
- Hybrid cloud site to site IPsec VPN
- Remote access VPN

Gain Comprehensive Visibility and Apply Consistent Control



Specifications

The FortiGate-VM supports multiple instance families that leverage Intel and AMD-based x64 processors as well as the VM.Standard.A1.Flex instance family that leverages the Ampere® Altra® Arm-based processor.

For a full list of supported instance families See [OCI Administration Guide: Instance type Support](#).

The following shows performance of ARM64 VM.Standard.A1.Flex and VM64 VM.Standard3.Flex Instance families with BYOL licenses.

ARM64 Specifications ¹

	VM-01/ 01V/01S	VM-02/ 02V/02S	VM-04/ 04V/04S	VM-08/ 08V/08S	VM-16/ 16V/16S	VM-32/ 32V/32S	VM-UL/ ULV/ULS			
System Requirement										
vCPU (Minimum / Maximum)	1 / 1	1 / 2	1 / 4	1 / 8	1 / 16	1 / 32	1 / Unlimited			
Technical Specifications										
Network Interface Support (Minimum / Maximum)	1 / 24	1 / 24	1 / 24	1 / 24	1 / 24	1 / 24	1 / 24			
Virtual Domains (Default / Maximum) ¹	10 / 10	10 / 25	10 / 50	10 / 500	10 / 500	10 / 500	10 / 500			
OCPU	1	2	4	8	16	32	Unlimited			
Firewall Policies	10 000	10 000	10 000	200 000	200 000	200 000				
System Performance										
Instance Shape to be Measured	VM.StandardA1.Flex (1 OCPU)	VM.StandardA1.Flex (2 OCPU)	VM.StandardA1.Flex (4 OCPU)	VM.StandardA1.Flex (8 OCPU)	VM.StandardA1.Flex (16 OCPU)					
OCI Bandwidth ²	1 Gbps		2 Gbps		4.1 Gbps		8.2 Gbps		16.4 Gbps	
	VFIO	IPSEC	VFIO	IPSEC	VFIO	IPSEC	VFIO	IPSEC	VFIO	IPSEC
Firewall Throughput (UDP Packets) in Mbps - 1518 bytes	1000	450	2000	650	3300	1200	10 000	3000	12 500	3500
Firewall Throughput (UDP Packets) in Mbps - 512 bytes	400	200	800	500	1250	650	4500	1200	5600	1500
Firewall Throughput (UDP Packets) in Mbps - 64 bytes	60	30	160	100	300	125	600	200	700	300
New Sessions / Second (TCP)	20 000	-	41 000	-	50 000	-	120 000	-	175 000	-
HTTP Throughput w/ Application profile (64K size) in Mbpps	800	-	2060	-	2700	-	8100	-	13 000	-
HTTP Throughput w/ IPS profile (44K size) in Mbpps	820	-	2060	-	2760	-	8200	-	12 700	-
HTTP Throughput w/ IPS profile (1M size) in Mbpps	840	-	2060	-	2660	-	8200	-	12 800	-
NGFW Throughput in Mbpps ³	195	-	450	-	860	-	1820	-	3000	-
Threat Protection Throughput in Mbpps ⁴	185	-	440	-	850	-	1820	-	3000	-
SSL Inspection Throughput in Mbpps ⁵	175	-	480	-	1230	-	2800	-	5150	-

Notes.

PAYG supports only up to 24 OCPU (48 vCPU) instances.

Actual performance may vary depending on the network and system configuration.

Please note that these metrics are updated periodically as the product performance keeps improving through internal testing. The discrepancy in the performance numbers may be noted in different versions of the document so please make sure to refer to the latest datasheets.

Performance metrics were measured using FortiOS v7.2.4

1. FG-VMxxV and FG-VMxxS series do not come with a multi-VDOM feature by default. You can add it by applying separate VDOM addition perpetual licenses. See ORDER INFORMATION for VDOM SKUs.
2. The latest information about OCI bandwidth is found on <https://docs.cloud.oracle.com/en-us/iaas/Content/Compute/References/computeshapes.htm#vm-standard>
3. NGFW performance is measured with IPS and Application Control enabled, based on Enterprise Traffic Mix.
4. Threat Protection performance is measured with IPS and Application Control and Malware protection enabled, based on Enterprise Traffic Mix.
5. Using TLS ECDHE RSA WITH AES 256 GCM SHA384 (2K).



VM64 Specifications

LICENSE TYPE : VM-02/02V/02S

System Requirement						
vCPU (Minimum / Maximum)	1 / 2					
Technical Specifications						
Network Interface Support (Minimum / Maximum)	1 / 24					
Virtual Domains (Default / Maximum) ¹	10 / 25					
Firewall Policies	10 000					
OCPU ²	1					
System Performance						
Instance Shape to be Measured	VM.Standard3.Flex (1 OCPU)					
OCI Bandwidth ³	1 Gbps					
	SR-IOV				PARAVIRTUALIZED	IPSEC
	VFIO	IPSEC	VFIO DDPK	IPSEC		
Firewall Throughput (UDP Packets) in Mbps - 1518 bytes	1280	1250	1280	1200	1270	1000
Firewall Throughput (UDP Packets) in Mbps - 512 bytes	1300	1100	1300	1000	1160	560
Firewall Throughput (UDP Packets) in Mbps - 64 bytes	1200	300	1200	200	180	120
New Sessions / Second (TCP)	160 000	-	110 000	-	55 000	-
HTTP Throughput w/ Application profile (64K size) in Mbps	1030	-	1030	-	1030	-
HTTP Throughput w/ IPS profile (44K size) in Mbps	1030	-	1030	-	1030	-
HTTP Throughput w/ IPS profile (1M size) in Mbps	1040	-	1040	-	1040	-
NGFW Throughput in Mbps ⁴	800	-	950	-	440	-
Threat Protection Throughput in Mbps ⁵	760	-	930	-	440	-
SSL Inspection throughput (Mbps) ⁶	1000	-	1000	-	600	-

LICENSE TYPE : VM-04/04V/04S

System Requirement						
vCPU (Minimum / Maximum)	1 / 4					
Technical Specifications						
Network Interface Support (Minimum / Maximum)	1 / 24					
Virtual Domains (Default / Maximum) ¹	10 / 50					
Firewall Policies	10 000					
OCPU ²	2					
System Performance						
Instance Shape to be Measured	VM.Standard3.Flex (2 OCPU)					
OCI Bandwidth ³	2 Gbps					
	SR-IOV				PARAVIRTUALIZED	IPSEC
	VFIO	IPSEC	VFIO DDPK	IPSEC		
Firewall Throughput (UDP Packets) in Mbps - 1518 bytes	2500	2280	2500	2200	2500	2000
Firewall Throughput (UDP Packets) in Mbps - 512 bytes	2600	1500	2600	1140	2300	1200
Firewall Throughput (UDP Packets) in Mbps - 64 bytes	1200	300	1200	280	400	250
New Sessions / Second (TCP)	160 000	-	140 000	-	85 000	-
HTTP Throughput w/ Application profile (64K size) in Mbps	2070	-	2070	-	2070	-
HTTP Throughput w/ IPS profile (44K size) in Mbps	2070	-	2070	-	2070	-
HTTP Throughput w/ IPS profile (1M size) in Mbps	2070	-	2070	-	2070	-
NGFW Throughput in Mbps ⁴	1550	-	1900	-	1150	-
Threat Protection Throughput in Mbps ⁵	1530	-	1900	-	1140	-
SSL Inspection throughput (Mbps) ⁶	2030	-	2030	-	2000	-

Notes.

PAYG supports only up to 24 OCPU (48 vCPU) instances.

Actual performance may vary depending on the network and system configuration.

Please note that these metrics are updated periodically as the product performance keeps improving through internal testing. The discrepancy in the performance numbers may be noted in different versions of the document so please make sure to refer to the latest datasheets.

Performance metrics were measured using FortiOS v7.2.3



1. FG-VMxxV and FG-VMxxS series do not come with a multi-VDOM feature by default. You can add it by applying separate VDOM addition perpetual licenses. See ORDER INFORMATION for VDOM SKUs.
2. 1 OCPU equates to 2vCPU applies only for x64 instance types. FortiGate-VM BYOL licenses are based on vCPUs, so plan accordingly.
3. The latest information about OCI bandwidth is found on <https://docs.cloud.oracle.com/en-us/iaas/Content/Compute/References/computeshapes.htm#vm-standard>
4. NGFW performance is measured with IPS and Application Control enabled, based on Enterprise Traffic Mix.
5. Threat Protection performance is measured with IPS and Application Control and Malware protection enabled, based on Enterprise Traffic Mix.
6. Using TLS ECDHE RSA WITH AES 256 GCM SHA384 (2K).

VM64 Specifications

LICENSE TYPE : VM-08/08V/08S

System Requirement						
vCPU (Minimum / Maximum)	1 / 8					
Technical Specifications						
Network Interface Support (Minimum / Maximum)	1 / 24					
Virtual Domains (Default / Maximum) ¹	10 / 500					
Firewall Policies	200 000					
OCPU ²	4					
System Performance						
Instance Shape to be Measured	VM.Standard3.Flex (4 OCPU)					
OCI Bandwidth ³	4.1 Gbps					
	SR-IOV				PARAVIRTUALIZED	IPSEC
	VFIO	IPSEC	VFIO DPKD	IPSEC		
Firewall Throughput (UDP Packets) in Mbps - 1518 bytes	5150	4800	5100	4150	4800	2200
Firewall Throughput (UDP Packets) in Mbps - 512 bytes	3950	2000	4000	1550	2600	1280
Firewall Throughput (UDP Packets) in Mbps - 64 bytes	1050	380	1180	320	450	300
New Sessions / Second (TCP)	160 000	-	155 000	-	135 000	-
HTTP Throughput w/ Application profile (64K size) in Mbps	4130	-	4130	-	4130	-
HTTP Throughput w/ IPS profile (44K size) in Mbps	4130	-	4130	-	4130	-
HTTP Throughput w/ IPS profile (1M size) in Mbps	4140	-	4140	-	4140	-
NGFW Throughput in Mbps ⁴	3000	-	3700	-	1990	-
Threat Protection Throughput in Mbps ⁵	3000	-	3600	-	1980	-
SSL Inspection throughput (Mbps) ⁶	3400	-	3450	-	3400	-

LICENSE TYPE : VM-16/16V/16S

System Requirement						
vCPU (Minimum / Maximum)	1 / 16					
Technical Specifications						
Network Interface Support (Minimum / Maximum)	1 / 24					
Virtual Domains (Default / Maximum) ¹	10 / 500					
Firewall Policies	200 000					
OCPU ²	8					
System Performance						
Instance Shape to be Measured	VM.Standard3.Flex (8 OCPU)					
OCI Bandwidth ³	8.2 Gbps					
	SR-IOV				PARAVIRTUALIZED	IPSEC
	VFIO	IPSEC	VFIO DPKD	IPSEC		
Firewall Throughput (UDP Packets) in Mbps - 1518 bytes	10 200	5300	10 000	4500	10 200	3150
Firewall Throughput (UDP Packets) in Mbps - 512 bytes	4300	2200	4200	1800	4200	1500
Firewall Throughput (UDP Packets) in Mbps - 64 bytes	1160	390	1160	360	700	340
New Sessions / Second (TCP)	275 000	-	285 000	-	220 000	-
HTTP Throughput w/ Application profile (64K size) in Mbps	8270	-	8270	-	8270	-
HTTP Throughput w/ IPS profile (44K size) in Mbps	8270	-	8270	-	8270	-
HTTP Throughput w/ IPS profile (1M size) in Mbps	8275	-	8280	-	8270	-
NGFW Throughput in Mbps ⁴	5850	-	7100	-	3790	-
Threat Protection Throughput in Mbps ⁵	5800	-	6950	-	3790	-
SSL Inspection throughput (Mbps) ⁶	6400	-	6350	-	5350	-

Notes.

PAYG supports only up to 24 OCPU (48 vCPU) instances.

Actual performance may vary depending on the network and system configuration.

Please note that these metrics are updated periodically as the product performance keeps improving through internal testing. The discrepancy in the performance numbers may be noted in different versions of the document so please make sure to refer to the latest datasheets.

Performance metrics were measured using FortiOS v7.2.3



1. FG-VMxxV and FG-VMxxS series do not come with a multi-VDOM feature by default. You can add it by applying separate VDOM addition perpetual licenses. See ORDER INFORMATION for VDOM SKUs.
2. 1 OCPU equates to 2vCPU applies only for x64 instance types. FortiGate-VM BYOL licenses are based on vCPUs, so plan accordingly.
3. The latest information about OCI bandwidth is found on <https://docs.cloud.oracle.com/en-us/iaas/Content/Compute/References/computeshapes.htm#vm-standard>
4. NGFW performance is measured with IPS and Application Control enabled, based on Enterprise Traffic Mix.
5. Threat Protection performance is measured with IPS and Application Control and Malware protection enabled, based on Enterprise Traffic Mix.
6. Using TLS ECDHE RSA WITH AES 256 GCM SHA384 (2K).

VM64 Specifications

LICENSE TYPE : VM-32/32V/32S

System Requirement						
vCPU (Minimum / Maximum)	1 / 32					
Technical Specifications						
Network Interface Support (Minimum / Maximum)	1 / 24					
Virtual Domains (Default / Maximum) ¹	10 / 500					
Firewall Policies	200 000					
OCPU ²	16					
System Performance						
Instance Shape to be Measured	VM.Standard3.Flex (16 OCPU)					
OCI Bandwidth ³	16.4 Gbps					
	SR-IOV			PARAVIRTUALIZED		
	VFIO	IPSEC	VFIO DDPK	IPSEC		IPSEC
Firewall Throughput (UDP Packets) in Mbps - 1518 bytes	20 300	6200	20 400	5200	20 300	4000
Firewall Throughput (UDP Packets) in Mbps - 512 bytes	7500	2500	7500	2250	7300	1650
Firewall Throughput (UDP Packets) in Mbps - 64 bytes	1190	390	1190	390	1100	390
New Sessions / Second (TCP)	285 000	-	300 000	-	275 000	-
HTTP Throughput w/ Application profile (64K size) in Mbps	14 000	-	14 000	-	13 800	-
HTTP Throughput w/ IPS profile (44K size) in Mbps	13 700	-	13 700	-	13 600	-
HTTP Throughput w/ IPS profile (1M size) in Mbps	14 100	-	14 100	-	13 800	-
NGFW Throughput in Mbps ⁴	10 500	-	11 800	-	6350	-
Threat Protection Throughput in Mbps ⁵	10 300	-	11 800	-	6300	-
SSL Inspection throughput (Mbps) ⁶	7700	-	7600	-	7000	-

LICENSE TYPE : VM-UL/ULV/ULS

System Requirement	
vCPU (Minimum / Maximum)	1 / Unlimited
Technical Specifications	
Network Interface Support (Minimum / Maximum)	1 / 24
Virtual Domains (Default / Maximum) ¹	10 / 500
OCPU ²	Unlimited

Notes.

PAYG supports only up to 24 OCPU (48 vCPU) instances.

Actual performance may vary depending on the network and system configuration.

Please note that these metrics are updated periodically as the product performance keeps improving through internal testing. The discrepancy in the performance numbers may be noted in different versions of the document so please make sure to refer to the latest datasheets.

Performance metrics were measured using FortiOS v7.2.3

1. FG-VMxxV and FG-VMxxS series do not come with a multi-VDOM feature by default. You can add it by applying separate VDOM addition perpetual licenses. See ORDER INFORMATION for VDOM SKUs.
2. 1 OCPU equates to 2vCPU applies only for x64 instance types. FortiGate-VM BYOL licenses are based on vCPUs, so plan accordingly.
3. The latest information about OCI bandwidth is found on <https://docs.cloud.oracle.com/en-us/iaas/Content/Compute/References/computeshapes.htm#vm-standard>
4. NGFW performance is measured with IPS and Application Control enabled, based on Enterprise Traffic Mix.
5. Threat Protection performance is measured with IPS and Application Control and Malware protection enabled, based on Enterprise Traffic Mix.
6. Using TLS ECDHE RSA WITH AES 256 GCM SHA384 (2K).



For the sizing guide, please refer to the sizing document available on www.fortinet.com

Download

You can download the OCI new deployment file on www.support.fortinet.com.

Go to Download > VM Images from the top menu and choose FortiGate from the Product dropdown list and Oracle from the Platform dropdown list. Create a FortiGate-VM instance from Custom Images on the Compute Engine portal.

For information on how to setup VFIO and DDPK for FortiOS on Oracle cloud click [here](#).



Ordering Information

The following SKUs adopt the perpetual licensing scheme:

Product	SKU	Description
FortiGate-VM02	FG-VM02, FG-VM02V	FortiGate-VM 'virtual appliance': 2x vCPU cores. No VDOM by default for FG-VM02V model.
FortiGate-VM04	FG-VM04, FG-VM04V	FortiGate-VM 'virtual appliance': 4x vCPU cores. No VDOM by default for FG-VM04V model.
FortiGate-VM08	FG-VM08, FG-VM08V	FortiGate-VM 'virtual appliance': 8x vCPU cores. No VDOM by default for FG-VM08V model.
FortiGate-VM16	FG-VM16, FG-VM16V	FortiGate-VM 'virtual appliance': 16x vCPU cores. No VDOM by default for FG-VM016V model.
FortiGate-VM32	FG-VM32, FG-VM32V	FortiGate-VM 'virtual appliance': 32x vCPU cores. No VDOM by default for FG-VM032V model.
FortiGate-VMUL	FG-VMUL, FG-VMULV	FortiGate-VM 'virtual appliance': Unlimited vCPU cores. No VDOM by default for FG-VMULV model.
Optional Accessories/Spares	SKU	Description
Virtual Domain License Add 5	FG-VDOM-5-UG	Upgrade license for adding 5 VDOMs to FortiOS 5.4 and later, limited by platform maximum VDOM capacity.
Virtual Domain License Add 15	FG-VDOM-15-UG	Upgrade license for adding 15 VDOMs to FortiOS 5.4 and later, limited by platform maximum VDOM capacity.
Virtual Domain License Add 25	FG-VDOM-25-UG	Upgrade license for adding 25 VDOMs to FortiOS 5.4 and later, limited by platform maximum VDOM capacity.
Virtual Domain License Add 50	FG-VDOM-50-UG	Upgrade license for adding 50 VDOMs to FortiOS 5.4 and later, limited by platform maximum VDOM capacity.
Virtual Domain License Add 240	FG-VDOM-240-UG	Upgrade license for adding 240 VDOMs to FortiOS 5.4 and later, limited by platform maximum VDOM capacity.

The number of configurable VDOMs can be stacked up to the maximum number of supported VDOMs per vCPU model. Please refer to Virtual Domains (Maximum) under SPECIFICATIONS.

The following SKUs adopt the annual subscription licensing scheme:

Product	SKU	Description
FortiGate-VM01-S	FC1-10-FGVVS-<Support Bundle>-02-DD	Subscriptions license for FortiGate-VM (1 vCPU core)
FortiGate-VM02-S	FC2-10-FGVVS-<Support Bundle>-02-DD	Subscriptions license for FortiGate-VM (2 vCPU cores)
FortiGate-VM04-S	FC3-10-FGVVS-<Support Bundle>-02-DD	Subscriptions license for FortiGate-VM (4 vCPU cores)
FortiGate-VM08-S	FC4-10-FGVVS-<Support Bundle>-02-DD	Subscriptions license for FortiGate-VM (8 vCPU cores)
FortiGate-VM16-S	FC5-10-FGVVS-<Support Bundle>-02-DD	Subscriptions license for FortiGate-VM (16 vCPU cores)
FortiGate-VM32-S	FC6-10-FGVVS-<Support Bundle>-02-DD	Subscriptions license for FortiGate-VM (32 vCPU cores)
FortiGate-VMUL-S	FC7-10-FGVVS-<Support Bundle>-02-DD	Subscriptions license for FortiGate-VM (Unlimited vCPU cores)

FortiOS 6.2.3+ and 6.4.0+ support the FortiGate-VM S-series. The FortiGate-VM S-series does not have RAM restrictions on all vCPU levels.
FortiManager 6.2.3+ and 6.4.0+ support managing FortiGate-VM S-series devices.



Subscriptions

Service Category	Service Offering	A-la-carte	Bundles		
			Enterprise Protection	Unified Threat Protection	Advanced Threat Protection
FortiGuard Security Services	IPS Service	•	•	•	•
	Anti-Malware Protection (AMP) — Antivirus, Mobile Malware, Botnet, CDR, Virus Outbreak Protection and FortiSandbox Cloud Service	•	•	•	•
	URL, DNS & Video Filtering Service	•	•	•	
	Anti-Spam		•	•	
	AI-based Inline Malware Prevention Service	•	•		
	Data Loss Prevention Service ¹	•	•		
	OT Security Service (OT Detection, OT Vulnerability correlation, Virtual Patching, OT Signature / Protocol Decoders) ¹	•			
	Application Control			included with FortiCare Subscription	
	CASB SaaS Control			included with FortiCare Subscription	
SD-WAN and SASE Services	SD-WAN Underlay Bandwidth and Quality Monitoring Service	•			
	SD-WAN Overlay-as-a-Service for SaaS-based overlay network provisioning	•			
	SD-WAN Connector for FortiSASE Secure Private Access	•			
	FortiSASE subscription including cloud management and 10Mbps bandwidth license ²	•			
NOC and SOC Services	FortiGuard Attack Surface Security Service (IoT Detection, IoT Vulnerability Correlation, and Security Rating Updates) ¹	•	•		
	FortiConverter Service	•	•		
	Managed FortiGate Service	•			
	FortiGate Cloud (SMB Logging + Cloud Management)	•			
	FortiManager Cloud	•			
	FortiAnalyzer Cloud	•			
	FortiAnalyzer Cloud with SOCaaS	•			
	FortiGuard SOCaaS	•			
Hardware and Software Support	FortiCare Essentials ²	•	•	•	•
	FortiCare Premium	•	•	•	•
	FortiCare Elite	•			
Base Services	Internet Service (SaaS) DB Updates				
	GeoIP DB Updates				included with FortiCare Subscription
	Device/OS Detection Signatures				
	Trusted Certificate DB Updates				
	DDNS (v4/v6) Service				

1. Full features available when running FortiOS 7.4.1

2. Desktop Models only



FortiGuard Bundles

FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.




FortiCare Services

Fortinet prioritizes customer success through FortiCare Services, optimizing the Fortinet Security Fabric solution. Our comprehensive lifecycle services include Design, Deploy, Operate, Optimize, and Evolve. The FortiCare Elite, one of the service variants, offers heightened SLAs and swift issue resolution with a dedicated support team. This advanced support option includes an Extended End-of-Engineering-Support of 18 months, providing flexibility. Access the intuitive FortiCare Elite Portal for a unified view of device and security health, streamlining operational efficiency and maximizing Fortinet deployment performance.



Fortinet CSR Policy

Fortinet is committed to driving progress and sustainability for all through cybersecurity, with respect for human rights and ethical business practices, making possible a digital world you can always trust. You represent and warrant to Fortinet that you will not use Fortinet's products and services to engage in, or support in any way, violations or abuses of human rights, including those involving illegal censorship, surveillance, detention, or excessive use of force. Users of Fortinet products are required to comply with the [Fortinet EULA](#) and report any suspected violations of the EULA via the procedures outlined in the [Fortinet Whistleblower Policy](#).



www.fortinet.com

Copyright © 2024 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, FortiCare® and FortiGuard®, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics and, in such event, only the specific performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.